

Pina I (with waistband) by Fibre ⚡ood





Pina I (with waistband)

by Fibre ood




32 - 54

You can style this basic model in several different ways.
Wear it with a loose-fitting blouse and heels and you're all ready for the most fantastic party of the year. Or you can keep the look casual and combine it with a t-shirt and sneakers.



sizing chart


size (EU)	32	34	36	38	40	42	44	46	48	50	52	54
UK	4	6	8	10	12	14	16	18	20	22	24	26
WM (cm)	66	68	70	74	78	82	84	88	94.5	101	107.5	114
HM (cm)	86	90	94	97	100	103	106	109	115	120	125	130



Waistline measurement (WL): measure horizontally at the narrowest point of the body.

Hip measurement (HM): Measure horizontally at the widest point of the lower body.

measurements



size	32	34	36	38	40	42	44	46	48	50	52	54
length (incl. waistband, cm)	71.75	72	72.25	72.5	73	73.25	75.5	75.75	79	79.5	79.75	80
1/2 waistline measurement (without elastic band, cm)	34.25	35.25	36.25	38.25	40.25	42.25	43.25	45.25	48.5	51.75	55	58.25
1/2 hip measurement (average, cm)	42.75	44.75	46.75	48.25	49.75	51.25	52.75	54.25	57.25	59.75	62.25	64.75
1/2 hem width (average, cm)	44.5	46.5	48.5	50	51.5	53	54.5	56	59	61.5	64	66.5

IMPORTANT: this pattern is intended for use with stretchy fabrics. To find out what your size is, compare the size listed in this table for a 1/2 hip measurement to half of the measured or desired hip measurement.

Compare the stated lengths to the measured or desired lengths. Lengthen or shorten the skirt by cutting the pattern pieces at the indicated double lines and then spreading the pattern pieces out X cm from each other or overlapping them, where necessary. Make sure that the CF and CB lines and the side seams are always straight.

IMPORTANT

Adapt the amount of fabric used to the alterations that you are making to the pattern!



supplies



- Thread
- Elastic band: see table
- Fabric: see table

size	32	34	36	38	40	42	44	46	48	50	52	54
elastic band (cm)	66.5	67.5	68.5	70.5	72.5	74.5	75.5	77.5	80.75	84	87.25	90.5

* 3,5 cm wide

size	32-42	44-52
fabric* (cm)	90	100

* 140 cm wide

fabric advice




The Pina skirt pattern should only be made using a jersey fabric. We used a ribbed jersey.

pattern pieces & seam allowances (in cm)

Draw 1 cm all the way around the paper pattern pieces unless stated otherwise in the illustrations.

The side of piece A lying on the fabric fold (—↪) does not have a seam allowance.




Indicate important points on the outline of the pattern:

- Nick the pattern paper and fabric at the places with a single vertical line (|) or a V symbol.
- To mark the middle of the piece, cut a small corner (V) out of the side of piece A on the fabric at both the top and bottom.
- Mark where the split ends (◇) using needle and thread.


fabric plan

1. for fabrics 140 cm wide

32-52



54






sewing instructions




The method used to finish sewing the garment depends on the fabric used. The pieces are always sewn together with the right sides of the fabric matching exactly, unless stated otherwise.


Key with symbols

-  → right side
-  → wrong side
-  → elastic band
- F** → front
- B** → back


1



Finish the side seam with the shaped facing for the slit and the hem of the F (1) and B (2) using an overlock stitch.




Pin and completely sew off the right side seam and pin the left side seam and sew off to the basting thread.




Finish the raw edges of the right side seam using an overlock stitch.

2




Fold the hem of both the front and back with the right side of the fabric facing inward to where the V notch is. Sew the slanted side.




Turn the corner inside out. You've now made mitered corners on each side.

3




Pin and sew the short side of the waistband (A). Leave an opening so that the elastic band can be threaded through later.


Press the seam allowance open.




Fold the waistband in half lengthwise with the right side facing out and press.




Pin and sew the raw edges of the waistband to the top of the skirt, making sure that the nicks match. Stretch the waistband to match the top of the skirt. (The circumference of the waistband is smaller than the skirt's.)




Finish the raw edges together using an overlock stitch.



Thread the elastic through the opening.




Allow 3 cm of the ends to overlap and sew in place using a Box X stitch.




Pull the elastic all the way through the waistband and sew the opening closed.

4



Press the hem allowance over to the V notches.



Sew the hem and facings of the slit in place.